



Asbru Ltd.  
www.asbrusoft.com  
info@asbrusoft.com

Asbru Ltd.



# Asbru Web Content Management System

## Hosting Edition Guide

*Easily & Inexpensively  
Create, Publish & Manage Your Websites*



## Copyright and Proprietary Information

Copyright Asbru Ltd 1999–2024. This user guide constitutes proprietary information of Asbru Ltd. No part of this user guide may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form, by any means, without the written permission of Asbru Ltd.

## Notice

Asbru Ltd. reserves the right to make changes in this user guide at any time and without notice. Asbru Ltd. makes no warranties, express or implied, in this user guide. In no event shall Asbru Ltd. be liable for any indirect, special, incidental or consequential damages arising out of purchase or use of this user guide or the information contained herein.

## Licenses and Trademarks

Asbru Web Content Management and the Asbru logo are trademarks or registered trademarks of Asbru Ltd. in the United Kingdom and other countries. All other company, product, or trade names are trademarks or registered trademarks of their respective holders.

Asbru Web Content Management includes and uses the `wz_dragdrop.js` library, Copyright (c) 2002-2003 Walter Zorn ([www.walterzorn.com](http://www.walterzorn.com)), licensed under the terms of the GNU Lesser General Public License (LGPL) (<http://www.gnu.org/copyleft/lesser.html>).

Asbru Web Content Management includes and uses the `wz_jsgraphics.js` library, Copyright (c) 2002-2004 Walter Zorn (<http://www.walterzorn.com>), licensed under the terms of the GNU Lesser General Public License (LGPL) (<http://www.gnu.org/copyleft/lesser.html>).

Asbru Web Content Management includes and uses the Dynarch DHTML Calendar library, Copyright (c) 2002-2005 Mihai Bazon (<http://www.bazon.net/mishoo> - <http://www.dynarch.com/projects/calendar>), licensed under the terms of the GNU Lesser General Public License (LGPL) (<http://www.gnu.org/licenses/lgpl.html>).

Asbru Web Content Management includes and uses the Kryogenix sortable library, Copyright (c) 1997-2005 Stuart Langridge (<http://www.kryogenix.org/code/browser/sortable/>), licensed under the terms of the MIT License (<http://www.kryogenix.org/code/browser/license.html>).

Asbru Web Content Management includes and uses the SWFupload component and library, Copyright (c) 2006-2007 Lars Huring, Olov Nilzén and Mammon Media, and Copyright (c) 2007-2008 Jake Roberts (<http://www.swfupload.org/>), licensed under the terms of the MIT License (<http://www.opensource.org/licenses/mit-license.php>).

Asbru Web Content Management includes and uses the Prototype library, Copyright (c) 2005 Sam Stephenson (<http://prototype.conio.net/>), licensed under the terms of an MIT-style License (<http://prototype.conio.net/>).

Asbru Web Content Management includes and uses the Scriptaculous library, Copyright (c) 2005 Thomas Fuchs (<http://script.aculo.us/>), licensed as free software.

Asbru Web Content Management includes and uses parts of the Rico library, Copyright (c) 2005 Sabre Airline Solutions (<http://openrico.org/>), licensed under the terms of the Apache License, Version 2.0.

Asbru Web Content Management includes and uses the Rico Livegrid Plus library, Copyright (c) 2006 Matt Brown (<http://dowdybrown.com/>), licensed under the terms of the Apache License, Version 2.0.

Asbru Web Content Management includes and uses the Lightbox library, Copyright (c) 2006 Lokesh Dhakar (<http://www.huddletogether.com/>), licensed under the Creative Commons Attribution 2.5 License (<http://creativecommons.org/licenses/by/2.5/>).

Asbru Web Content Management includes and uses the TableKit library, Copyright (c) 2007 Andrew Tetlaw & Millstream Web Software (<http://www.millstream.com.au/view/code/tablekit/>), licensed as free software.

Asbru Web Content Management includes and uses the jQuery library, Copyright (c) 2011 John Resig (<http://jquery.org/>), licensed under the terms of the MIT License (<http://jquery.org/license/>).

Asbru Web Content Management includes and uses the jsTree library, Copyright (c) 2010 Ivan Bozhanov (<http://jstree.com/>), licensed under the terms of the MIT License (<http://www.opensource.org/licenses/mit-license.php>).

Asbru Web Content Management includes and uses the JavaBeans Activation Framework library, Copyright (c) Sun Microsystems (<http://www.sun.com/>), licensed under the terms of the Sun Microsystems, Inc. Binary Code License Agreement.



Asbru Web Content Management includes and uses the JavaMail library, Copyright (c) 2009 Sun Microsystems (<http://www.sun.com/>), licensed under the terms of the Sun Microsystems, Inc. Binary Code License Agreement.

Asbru Web Content Management includes and uses the Apache Jakarta JCS library, Copyright (c) 2001-2007 The Apache Software Foundation (<http://www.apache.org/>), licensed under the terms of the Apache License, Version 2.0.

Asbru Web Content Management includes and uses the Apache Commons Logging library, Copyright (c) 2003-2007 The Apache Software Foundation (<http://www.apache.org/>), licensed under the terms of the Apache License, Version 2.0.

Asbru Web Content Management includes and uses the Apache log4j library, Copyright (c) 2010 The Apache Software Foundation (<http://www.apache.org/>), licensed under the terms of the Apache License, Version 2.0.

Asbru Web Content Management includes and uses the concurrent library, Copyright (c) Doug Lea (<http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html>), licensed as free software.

Asbru Web Content Management includes and uses the slidetabs library, Copyright (c) WebStack (<http://www.slidetabs.com/>).

Asbru Web Content Management includes and uses the ContentBuilder.js library, Copyright (c) InnovaStudio (<http://www.innovastudio.com/>).

Asbru Web Content Management includes and uses the CodeMirror library, Copyright (c) 2017 Marijn Havebeke ([marijnh@gmail.com](mailto:marijnh@gmail.com)) (<http://www.codemirror.net/>), licensed under the terms of the MIT License (<https://codemirror.net/LICENSE>).

Asbru Web Content Management includes and uses the Tiny Colorpicker library, Copyright (c) 2013 Maarten Baijs (<http://www.baijs.com/>), licensed under the terms of the MIT License.

Asbru Web Content Management includes and uses the HTML5 FormData Polyfill, Copyright (c) 2016 Jimmy Karl Roland Wärtig (<https://github.com/jimmywarting/FormData>), licensed under the terms of the MIT License.

## Asbru Ltd

Asbru Ltd. provides Internet/Web services, consultancy and solutions for businesses and individuals. Registered in England - Company Registration No. 3865324 - [www.asbrusoft.com](http://www.asbrusoft.com)



# Asbru Web Content Management System

*Easily & Inexpensively  
Create, Publish & Manage Your Websites*

## Introduction

The Hosting Edition of the Asbru Web Content Management system includes a number of additional features, which enables you to run any number of separate client websites on a single, easy to maintain and support installation of the Asbru Web Content Management system.

Web hosting service providers can use the Hosting Edition features to offer inexpensive web hosting standard packages with full web content management system to their clients. Clients may also be offered single page business card websites (i.e. for Internet domain name registration holding pages or email-only packages), which the clients can update themselves through a simple web-based administration interface with the Asbru Web Content Editor.

Larger organisations can use the Hosting Edition features to manage multiple, independent websites for different divisions, departments, projects, brands and campaigns etc.

This installation guide is divided into six main parts:

Part 1 describes how to install and configure the Hosting Edition of the Asbru Web Content Management System to run on your website.

Part 2 describes how to configure the Hosting Edition of the Asbru Web Content Management System to create and manage hosting client websites to run on your website.

Part 3 describes how to create and manage hosting client websites.

Part 4 describes how to enable and use the E-Commerce Add-On Module features for automated delivery of hosting client websites.

Part 5 describes how hosting client websites can be setup in different ways on your web server.

Part 6 describes how the Hosting Edition programming API can be customized to change how hosting client websites are setup on your web server.



## Table of Contents

<b>INTRODUCTION .....</b>	<b>4</b>
<b>TABLE OF CONTENTS .....</b>	<b>5</b>
<b>1 INSTALLATION AND BASIC CONFIGURATION .....</b>	<b>7</b>
<b>2 HOSTING CLIENTS CONFIGURATION .....</b>	<b>8</b>
<b>3 HOSTING CLIENTS MANAGEMENT .....</b>	<b>9</b>
<b>3.1 Defining Hosting Client Packages and Default Websites .....</b>	<b>10</b>
<b>3.2 Index .....</b>	<b>11</b>
3.2.1 List paged .....	11
3.2.2 List all .....	11
<b>3.3 Website .....</b>	<b>12</b>
<b>3.4 Webadmin .....</b>	<b>12</b>
<b>3.5 View .....</b>	<b>12</b>
<b>3.6 Update.....</b>	<b>13</b>
<b>3.7 Delete .....</b>	<b>14</b>
<b>3.8 Add New .....</b>	<b>15</b>
3.8.1.1 Hosting Details .....	15
3.8.1.2 Hosting Licenses .....	16
3.8.1.3 Superadmin Details .....	18
3.8.1.4 Hosting Categories .....	19
3.8.1.5 Activation & Expiration .....	20
3.8.1.6 Save & Create.....	20
3.8.1.7 Hosting API.....	21
<b>3.9 Business Card Website Administration .....</b>	<b>21</b>
<b>4 E-COMMERCE ADD-ON AUTOMATED PRODUCT DELIVERY .....</b>	<b>23</b>
<b>4.1 Product Delivery Configuration .....</b>	<b>23</b>
<b>4.2 Domain Name Registration.....</b>	<b>25</b>



4.3	Product Attributes .....	27
4.4	Order Pages .....	31
<b>5</b>	<b>WEB SERVER AND HOSTING CLIENT WEBSITES SETUP .....</b>	<b>33</b>
5.1	Internet Address and Web Server .....	33
5.2	Website Folder .....	34
5.3	Database Instance .....	34
5.4	“Dedicated” Hosting Clients Websites .....	34
<b>6</b>	<b>HOSTING API .....</b>	<b>36</b>
6.1	hosting_pre_create .....	36
6.2	hosting_post_create .....	37
6.3	hosting_pre_update .....	37
6.4	hosting_post_update .....	38
6.5	hosting_pre_delete .....	38
6.6	hosting_post_delete .....	38



## **1 Installation and Basic Configuration**

The basic installation and configuration for the Hosting Edition of the Asbru Web Content Management system is exactly the same as for the other editions of the Asbru Web Content Management system - Except that you must download the Asbru Web Content Management Hosting Edition software package and configure a Hosting Edition software license. Also, for the Asbru Web Content Management Hosting Edition a special Hosting Edition example website is available for the Database Initialisation and Import configuration. The special Hosting Edition example website is recommended for use with the Asbru Web Content Management Hosting Edition. The Hosting Edition example website is fully customisable. Simply select the “Hosting Edition” data file for the database initialisation and import instead of one of the other data file options. Please see the Configuration Guide for details.

You may use the Asbru Web Content Management system default website for your own website describing your web hosting services etc. Please see our own [www.asbruweb.com](http://www.asbruweb.com) website for an example.

Please note that the Hosting Edition example website includes a number of hosting client websites in the Hosting Clients administration section, but that these hosting client websites are not fully configured and ready for use – the folders and databases they are configured to use do not exist. These hosting client websites are only examples. You should delete them and eventually create your own similar hosting client website “templates” created with actual folders and databases as described in the following sections.



## 2 Hosting Clients Configuration

When a Hosting Edition license is configured, an additional Configuration / System / Hosting Clients menu item is added to the Configuration section of the web content management system. This is used to configure various database server settings for use with MySQL databases (and other databases supported in the Hosting API). For use with Microsoft Access databases these configuration settings are not required and used.

- **Database Data Folder Path/Name**  
The full folder path/name of the database server's database data folder under which a sub-folder exists for each existing database instance. For example, “/var/lib/mysql/” for MySQL. (For Microsoft Windows the drive letter must also be added).
- **Database Administrator Username**  
Username to be used to connect to the database server to create new database instances and to copy existing database instances. This database administrator should have full “superadmin” administrator permissions for the database server to create new database instances and grant database administrator permissions etc.
- **Database Administrator Password**  
Password to be used to connect to the database server to create new database instances and to copy existing database instances. This database administrator should have full “superadmin” administrator permissions for the database server to create new database instances and grant database administrator permissions etc.

Home Browse & Edit Hosting Clients Configuration Logged in as: admin Logout Help

ASBRU Workspace Structure Content Media Ecommerce Databases Experience Users Analytics Hosting Configuration

Configuration  
System  
Database  
License  
Superadmin  
Website  
Ecommerce  
Micro-Websites  
Usage Statistics  
**Hosting Clients**  
Features  
Content  
Images  
Files  
Users  
Versions  
Hosting  
Ecommerce  
Databases  
Packages

Save

### Hosting Clients

Database settings for hosting clients administration.

**Database Data Folder Path/Name**  
/var/lib/mysql/

**Database Administrator Username**  
username

**Database Administrator Password**  
password






### 3 Hosting Clients Management

When a Hosting Edition license is configured, the toolbar at the top of all the main administration pages includes an additional Hosting Clients link and icon. This gives you access to the hosting clients website administration section of the Asbru Web Content Management system.

A number of different left-hand menu items give you access to list all or some of your existing hosting client websites:

- **Templates**  
Hosting client websites for which no “superadmin” administrator email address is configured. You can use such hosting client websites as templates for adding new hosting client websites by copying a template hosting client website.
- **Clients**  
All hosting client websites.
- **Clients Group/Type**  
Hosting client websites for the selected hosting client website group/type.
- **Status**  
Hosting client websites with the selected status.
  - Pending - lists hosting client websites, which have not been activated yet.
  - Active – lists activated hosting client websites.
  - Expiring – lists hosting client websites, which have been notified and are about to expire.
  - Expired - lists hosting client websites, which have expired.



### 3.1 Defining Hosting Client Packages and Default Websites

Typically, you will create a number of standard hosting client website packages, which you copy to create a new hosting client websites.

As a web hosting service provider you may want to create a number of standard packages such as:

- Different Asbru Web Content Management system editions and add-on modules:
  - Personal
  - Personal with E-Commerce Add-On module
  - Professional
  - Professional Suite
- Default website content customised specially for different types of clients:
  - Small business website
  - Medium-sized business website
  - Non-profit organisation website
  - Club website
  - Personal website
  - Family website
  - Local authority website
  - School website
  - etc.

For hosting within a larger organisation you may want to create a number of standard packages such as:

- Division website
- Brand website
- Campaign website
- Department intranet website



- Project intranet website
- Partner extranet website

Simply create such hosting client website packages in the same way as ordinary hosting client websites and use the Asbru Web Content Management system to customise the configuration and content of each website package. Leave the superadmin email address blank to list the websites as “templates” in the Hosting Clients administration section.

## 3.2 Index

The main page of the Hosting Clients administration section lists your currently configured hosting client websites with access to open, view, update and delete each of them as well as access to add new hosting client websites.

Each hosting client website must have its own unique Internet address, which may be an IP-number (i.e. 127.0.0.1), a fully qualified domain name (i.e. www.asbrusoft.com) or a sub-domain name (i.e. johndoe.asbruweb.com). Each hosting client website may also have any number of additional Internet addresses, which point to the same hosting client website.

The Move To button and Group and Type lists located under the list of hosting client websites can be used to move selected hosting client websites to another group and/or type.

### 3.2.1 List paged

Hosting client websites are always ordered alphabetically by the Internet address. Select the First, Previous, Next, Last and page number links or use the scrollbar to browse through the hosting client websites.

All text may not be visible in the default width columns. The full text is displayed by the web browser when the cursor is held over the text. Alternatively, the column widths can be resized by dragging the space between the column headers left and right.

### 3.2.2 List all

Select any of the index listing column heading texts such as Group, Type, Status and Website to sort the listed hosting client websites by the selected column.



Group	Type	Website	Status	Webadmin	View	Update	Delete	
<input type="checkbox"/>		www.site-bizcard.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-dummy.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-personal-community.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-personal-databases.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-personal-ecommerce.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-personal-suite.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-personal.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-professional-community.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-professional-databases.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-professional-ecommerce.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-professional-suite.asbruweb.com	Active	Website	Webadmin	View	Update	Delete
<input type="checkbox"/>		www.site-professional.asbruweb.com	Active	Website	Webadmin	View	Update	Delete

### 3.3 Website


Select Website from the Hosting Clients administration section main page to open and view the hosting client website in a new web browser window.

### 3.4 Webadmin

Select Webadmin from the Hosting Clients administration section main page to access the web content management system administration pages for the hosting client website in a new web browser window.

### 3.5 View

Select View from the Hosting Clients administration section main page to view the current configuration for a hosting client website. Please see 3.8 Add New for details on the configuration attributes.




### 3.6 Update

Select Update from the Hosting Clients administration section main page to update the configuration for a hosting client website. Please see 3.8 Add New for details on the configuration attributes.

Please note that changing the URL Root Path and/or Database configuration attributes does not rename/move the existing data to the new locations/names entered, but configures the hosting client website to use the entered locations/names and their contents instead of the existing locations/names.

(You can customize the Hosting API to rename/move the existing data instead. You can also customize the Hosting API to automatically send an email notification to the hosting client website superadmin administrator when their website is updated; or to automatically send configuration changes to your back-end systems; etc. Please see 6 Hosting API for details).




### 3.7 Delete

Select Delete from the Hosting Clients administration section main page to delete a hosting client website. Please see 3.8 Add New for details on the configuration attributes.

Please note that depending on your server setup the actual hosting client database instance may not automatically be deleted when the hosting client website is deleted. (For example, the database files may be “locked” by other processes so they cannot be deleted).

(You can customize the Hosting API to automatically delete the database instance. You can also customize the Hosting API to automatically send an email notification to the hosting client website superadmin administrator when their website is deleted; or to automatically send configuration changes to your back-end systems; etc. Please see 6 Hosting API for details).



### 3.8 Add New

Select Add New from the Hosting Clients administration section main page to add a new hosting client website. When adding a new hosting client website you also select if you want to add a new “– blank –” website or if you want to copy the hosting client website configuration attributes from an existing hosting client website.

Please note that depending on your server setup you may need to manually create a new database instance for the hosting client, first. (Microsoft Access database files as available for the .NET and JSP and PHP versions of the Asbru Web Content Management system on a Microsoft Windows server and MySQL databases on a Microsoft Windows or Linux/Unix server are created/copied automatically).

(You can customize the Hosting API to automatically create a new database instance for the new hosting client website. You can also customize the Hosting API to automatically send the configuration data to your back-end systems; etc. Please see 6 Hosting API for details).

Typically, you will create a number of standard hosting client website packages, which you copy to create a new hosting client websites. Please see 3.1 Defining Hosting Client Packages and Default Websites for details.


For example, select “www.site-professional-suite.asbruweb.com” and Add New from the Hosting Clients administration section main page to add a new website for a new hosting client as a copy of the existing “www.site-professional-suite.asbruweb.com” hosting client website package.

#### 3.8.1.1 Hosting Details

The configuration attributes for the existing “www.site-professional-suite.asbruweb.com” hosting client website are displayed and must be changed for the new hosting client website:



- Internet address – Must be changed from “www.site-professional-suite.asbruweb.com” to a unique Internet address for the new hosting client website (i.e. “johndoe.asbruweb.com”).
- URL Root Path – Must be changed from “/SITEPROFSUITE/” to a unique folder name for the new hosting client website (i.e. “/johndoe/”).
- Database – Must be changed from “mysql:mysql://SITEPROFSUITE:SITEPROFSUITE@localhost/SITEPROFSUITE” to a unique database name for the new hosting client website (i.e. “mysql:mysql://johndoe:jd834hudi@localhost/ johndoe”).



### 3.8.1.2 Hosting Licenses

Hosting license keys must be configured for each hosting client website to activate the various Asbru Web Content Management system editions and add-on modules. The license keys must be the license keys issued to you by Asbru Ltd. (or authorized Asbru Ltd. partners) or unique license keys issued by yourself as authorized by Asbru Ltd. (or authorized Asbru Ltd. partners).

The license key input fields show the license keys issued and configured for the hosting client website by you (stored in your main web content management system database). For comparison and verification, the license keys in actual use on the hosting client website are displayed below each of the license key input fields).

Please note that new unique hosting client licenses can be generated, configured and used immediately, but all issued hosting client licenses must be reported to and purchased from Asbru Ltd. within 30 days (or as agreed) to be valid.

Alternatively, all license keys may be deleted and left blank for the new hosting client





website. This will give the new hosting client a single page business card website, which does not require any license from Asbru Ltd.

The screenshot displays the Asbru Web Content Management System interface. The top navigation bar includes links for Home, Browse & Edit, Add New Hosting, and user status (Logged in as: admin). The main menu features icons for Workspace, Structure, Content, Media, Ecommerce, Databases, Experience, Users, Analytics, Hosting, and Configuration. On the left, a sidebar shows a tree view for Clients, Templates, Group, Type, Status, and Clients. The central panel is titled 'License' and 'Add-On Modules'. The 'License' section has tabs for Hosting Details, Hosting Licenses (selected), Superadmin Details, Hosting Categories, and Activation Expiration. It contains input fields for Personal Edition, Professional Edition, Enterprise Edition, and Hosting Edition, followed by a 'Generate' button. The 'Add-On Modules' section lists Ecommerce, Community, Databases, Statistics, Experience, and Collaboration, each with an input field. A 'Comments' sidebar is visible on the right. The footer indicates 'Asbru Web Content Management System v11.0.0 - Copyright © 1999-2018 Asbru Ltd. and its licensors. All rights reserved.'

Select “Generate” to open a new web browser window with access to generate new unique hosting client license keys:

- Owner – Enter a unique id such as the website address or email address for the new hosting client.

Select “Generate License Key” to generate unique license keys for the entered owner website address or email address.

Copy the generated license keys to the relevant License field for the new hosting client website to be created.



Home

Browse & Edit

License

Logged in as: admin | Logout | Help

ASBRU

Workspace

Structure

Content

Media

Ecommerce

Databases

Experience

Users

Analytics

Hosting

Configuration

Clients

Templates

Group

Type

Status

Clients

Group

Type

Status

Product License

Owner

Generate License Key

Asbru Web Content Management System	License Key
Personal Edition	
Personal Edition Community	
Personal Edition Databases	
Personal Edition Ecommerce	
Personal Edition Statistics	
Personal Edition Experience	
Personal Edition Collaboration	
Small Business Edition	
Small Business Edition Community	
Small Business Edition Databases	
Small Business Edition Ecommerce	
Small Business Edition Statistics	
Small Business Edition Experience	
Small Business Edition Collaboration	
Professional Edition	
Professional Edition Community	
Professional Edition Databases	
Professional Edition Ecommerce	
Professional Edition Statistics	
Professional Edition Experience	
Professional Edition Collaboration	
Small Enterprise Edition	
Small Enterprise Edition Community	
Small Enterprise Edition Databases	
Small Enterprise Edition Ecommerce	
Small Enterprise Edition Statistics	
Small Enterprise Edition Experience	
Small Enterprise Edition Collaboration	
Enterprise Edition	
Enterprise Edition Community	
Enterprise Edition Databases	
Enterprise Edition Ecommerce	
Enterprise Edition Statistics	
Enterprise Edition Experience	
Enterprise Edition Collaboration	
Hosting Edition	
Hosting Edition Personal Edition	
Hosting Edition Small Business Edition	
Hosting Edition Professional Edition	
Hosting Edition Enterprise Edition	
Hosting Edition Hosting Edition	

Comments

Asbru Web Content Management System v11.0.0 - Copyright © 1999-2018 Asbru Ltd. and its licensors. All rights reserved.

### 3.8.1.3 Superadmin Details

Superadmin details for login to the hosting client website web content management system administration pages as the superadmin administrator should be configured:

- Superadmin Username – May be kept as “admin” or be changed to something else.
- Superadmin Password – May be kept as “admin” or be changed to something else. (If kept as “admin” the hosting client should be advised to change it to something else. Otherwise other Internet users may easily guess the password and gain unauthorized access to the Asbru Web Content Management system for the hosting client website).
- Superadmin Email – Should be changed to the hosting client’s email address (i.e. “johndoe@asbruweb.com”).



Home Browse & Edit Add New Hosting Logged in as: admin Logout Help

ASBRU Workspace Structure Content Media Ecommerce Databases Experience Users Analytics Hosting Configuration

Clients  
├── Templates  
│ ├── Group  
│ ├── Type  
│ └── Status  
└── Clients  
 ├── Group  
 ├── Type  
 └── Status

Save

ERROR: Unable to connect to client database

Hosting Details Hosting Licenses **Superadmin Details** Hosting Categories Activation Expiration

**Superadmin**

Username admin

Password

Email

Asbru Web Content Management System v3.2 - Copyright © 1999-2015 Asbru Ltd. and its licensors. All rights reserved.

#### 3.8.1.4 Hosting Categories

For effective administration of larger numbers of hosting client websites, they can be organised into a number of groups and/or types:

- Group – May be set to one of the configured hosting client groups (configured through Configuration / Hosting / Groups).
- Type – May be set to one of the configured hosting client types (configured through Configuration / Hosting / Types).

Home Browse & Edit Add New Hosting Logged in as: admin Logout Help

ASBRU Workspace Structure Content Media Ecommerce Databases Experience Users Analytics Hosting Configuration

Clients  
├── Templates  
│ ├── Group  
│ ├── Type  
│ └── Status  
└── Clients  
 ├── Group  
 ├── Type  
 └── Status

Save

ERROR: Unable to connect to client database

Hosting Details Hosting Licenses Superadmin Details **Hosting Categories** Activation Expiration

**Hosting Categories**

Group Please select

Type Please select

Asbru Web Content Management System v3.2 - Copyright © 1999-2015 Asbru Ltd. and its licensors. All rights reserved.



### 3.8.1.5 Activation & Expiration

Use these Activation & Expiration attributes to schedule when each hosting client website should be activated and/or expired, or leave blank to activate the hosting client website immediately and permanently (until updated or deleted). Optionally, activation and/or expiration emails can be sent to the hosting client website superadministrator when the hosting client website is activated and/or expires. Sending of a notification email when a hosting client website is about to expire can also be scheduled.

The activation and expiration dates/times must be entered in the format "YYYY-MM-DD hh:mm:ss" - for example "2000-12-31 23:59:59" for 1 second to midnight on New Year's Eve 2000.

*Please note that sending of activation, notification and expiration emails happens the first time your website is accessed after the scheduled dates/times, so depending on how busy your website is the emails may be sent some time after the scheduled dates/times. For guaranteed email delivery shortly after the scheduled dates/times, you may need/want to setup automated periodical access of your website.*

### 3.8.1.6 Save & Create

Select "Save" to add the new hosting client website.

This will automatically create the new website folder and database instance for the new hosting client website as a copy of the existing website folder and database instance. An email notification with the new hosting client website details will also automatically be sent to the new hosting client superadmin email address as well as the default Hosting Edition website superadmin email address.

The new hosting client website is now ready for use and can be accessed at the configured hosting client website Internet address – for example:



- “http://johndoe.asbruweb.com” – The public Internet website.
- “http://johndoe.asbruweb.com/webadmin/” – The Asbru Web Content Management system for the new hosting client website.
- “http://johndoe.asbruweb.com/bizcard/” – The Asbru Web Content Management system business card website administration page for the new hosting client website. Please see 3.9 Business Card Website Administration for details.

### 3.8.1.7 Hosting API

The Add New functionality as described above depends on the implementation of the Asbru Web Content Management system Hosting API. As default the Hosting API supports automated creation of Microsoft Access and MySQL databases for a simple “virtual” web server setup. This is fully customisable to suit your requirements and server setup and eventually integrate with your back-end and other systems. Please see 4 E-Commerce Add-On Automated Product Delivery and 6 Hosting API for details.

To add a new hosting client website you need to (manually or automatically through customization of the Hosting API):

- Obtain and configure the unique Internet address (IP-number, domain name or sub-domain name) to be used to access the new hosting client website.
- Configure your web server to respond to the address for the new hosting client website and direct requests to the Asbru Web Content Management system.

Create a web folder for the new hosting client website where its images and other data files are to be stored. Typically, you would create this as a sub-folder of your website root folder where the Asbru Web Content Management system is installed.

(Alternatively, you may create a “link” from your website root folder to a hosting client website folder located somewhere else on your server if your server platform supports this. Finally, you may have chosen a setup with separate website root folders for each hosting client website. Please see 2 Hosting Clients Configuration for details).

- Create a database instance for the new hosting client website where its content etc. are to be stored.
- Optionally, initialise and pre-configure the Asbru Web Content Management system for the new hosting client website.
- Notify the new hosting client of their website details including the Internet address, username and password to access their new website and the Asbru Web Content Management system.

## 3.9 Business Card Website Administration

Instead of web sites with access to the full Asbru Web Content Management system, you may setup single page business card websites for your hosting clients.

Hosting clients may access the Asbru Web Content Management system business card website administration by opening the website address “http://127.0.0.1/bizcard/” where




“127.0.0.1” must be replaced with the address of their hosting client website address. The hosting client’s username and password is required to access the business card website administration.

The business card website administration gives hosting clients access to update the content of their business card website using the web content editor and by selecting a template and a style sheet.

Hosting clients may use the web content editor to insert hyperlinks and images on their business card website, but images can only be selected from the existing images for their website. Additional images cannot be uploaded to their business card website.

Finally, changes may be previewed before they are saved.





## 4 E-Commerce Add-On Automated Product Delivery

When a Hosting Edition license is configured, the E-Commerce Add-On module is also automatically activated for self-service ordering and payment for hosting client websites and for automated product delivery of hosting client websites and databases creation, initialisation and configuration.

### 4.1 Product Delivery Configuration

Additional Product Delivery attributes are added on the E-Commerce Product Delivery configuration page in the Configuration section of the web content management system:

- **Hosting Client Websites**  
Settings for automatically created hosting client websites.
  - **Min. Sub-domain Length**  
Minimum permitted length of sub-domain names (entered by customers when ordering a hosting client website).
  - **Max. Sub-domain Length**  
Maximum permitted length of sub-domain names (entered by customers when ordering a hosting client website).
  - **Blocked Sub-domains**  
List of blocked sub-domains separated by blanks. Blocked sub-domains entered by customers when ordering a hosting client website will be ignored and replaced with an automatically issued sub-domain name.
  - **Prefix For Automatically Issued Sub-Domains**  
Prefix text followed by random number to be used for automatically issued hosting client website sub-domain names (if no available/valid sub-domain name is entered by the the customers when ordering a hosting client website).
  - **WWW Domain Name Prefix**  
Prefix to be added before the sub-domain – for example to use “www.” for the hosting client website.
  - **Domain Name**  
The default base domain name to be used for all hosting client websites. All hosting client websites will be created as sub-domains of this domain name. (Additional alternative domain names for the hosting client website can be configured separately).
  - **Database Connection**  
The database connection string template to be used for all hosting client websites. A number of special codes can be used in the database connection string:
    - `@@@domain@@@` will be replaced by the hosting client website sub-domain name.



- @@@username@@@ will be replaced by the hosting client website sub-domain name.
- @@@password@@@ will be replaced by a random 8 digit number.
- @@@random@@@ will be replaced by a random 32 digit number.

For Microsoft Access databases the database connection string can be something like:

.NET:

```
access:DRIVER={Microsoft Access Driver (*.mdb)}; DBQ=D:/  
Asbru\Web Content  
Management/webadmin/database.@@@domain@@@.@@@random  
@@@.mdb
```

JSP:

```
sun.jdbc.odbc.JdbcOdbcDriver::@jdbc:odbc:DRIVER={Microsoft  
Access Driver (*.mdb)}; DBQ=D:/Asbru/Web Content  
Management/webadmin/database.@@@domain@@@.@@@random  
@@@.mdb
```

PHP:

```
access:odbc://TCP()DRIVER={Microsoft Access Driver (*.mdb)};  
DBQ=D:\Asbru\Web Content  
Management/webadmin/database.@@@domain@@@.@@@random  
@@@.mdb
```

For MySQL databases the database connection string can be something like:

.NET:

```
mysql:Driver={MySQL ODBC 3.51 Driver};SERVER=localhost;  
DATABASE=@@@subdomain@@@;UID=@@@username@@@;P  
WD=@@@password@@@;Extended Properties='OPTION=16387'
```

JSP:

```
mysql:com.mysql.jdbc.Driver:@@@username@@@:@@@password  
@@@@jdbc:mysql://localhost/@@@subdomain@@@
```

PHP:

```
mysql:mysql://@@@username@@@:@@@password@@@localhost/  
@@@subdomain@@@
```

Please see the Configuration Guide and Website Administrator Guide for details.





Save

Currency & Prices | Order Forms | Order Administration | Payment Processing | **Product Delivery** | Special Pages

### Product Delivery

Settings for automatic digital product delivery.

**Default User Template**  
- none -

**User Database Usernames**  
Min. Username Length: 4 | Max. Username Length: 20

**Blocked Usernames**

Prefix for automatically issued usernames (followed by random number)  
user

**Hosting Client Websites**  
Min. Sub-domain Length: 4 | Max. Sub-domain Length: 20

**Blocked Sub-domains**

Prefix for automatically issued sub-domains (followed by random number)  
website

**WWW Domain Name Prefix**  
www.

**Domain Name**  
asbruweb.com

**Database Connection**  
mysql:mysql://@@@username@@@:@password@@@/localhost/@@@

**Domain Name Registration (www.enom.com)**  
Username: | Password: | Domain Name Registration URL:  
☐ http://resellertest.enom.com/  
☐ http://reseller.enom.com/

Asbru Web Content Management System v3.2 - Copyright © 1999-2019 Asbru Ltd. and its licensors. All rights reserved.

## 4.2 Domain Name Registration

Additional Product Delivery attributes for integrated domain name registration functionality are also added on the E-Commerce Product Delivery configuration page in the Configuration section of the web content management system:

- Domain Name Registration (www.enom.com)  
Settings for integrated domain name registration and configuration.
  - Username  
Your www.enom.com reseller username.
  - Password  
Your www.enom.com reseller password.
  - Domain Name Registration URL  
The domain name registration URL to be used.



- <http://resellertest.enom.com/>  
For testing only with no actual domain name registrations and payments. The domain name is not actually registered and configured to point to the hosting client website. Payments for domain name registrations are only charged to your [www.enom.com](http://www.enom.com) reseller test account.
- <http://reseller.enom.com/>  
Live domain name registrations and payments. Payments for domain name registrations are charged to your [www.enom.com](http://www.enom.com) reseller account.

Integrated domain name registration is supported through a reseller account with [www.enom.com](http://www.enom.com). To use the integrated domain name registration you must sign up for a [www.enom.com](http://www.enom.com) reseller account.

The integrated domain name registration functionality is intended for use with hosting client website products – not for standalone domain name registration services.

When the Domain Name Registration configuration settings have been configured and a hosting client website product with “hosting:subdomain” and “hosting:domain” Product Details attributes is purchased, the entered “hosting:domain” Product Details attribute domain name will be registered (if available) and it will be configured to point to the “hosting:subdomain” hosting client website. Please see 4.3 Product Attributes for details.

As default only “.com”, “.net” and “.org” top level domains can be registered. If a “hosting:domain:tld” Product Details attribute has been defined with a list of top level domains for the purchased product then only domain names for the given top level domains can be registered. As the domain name registration costs for different top level domains differ, you may want to have different products with different “hosting:domain:tld” product options. Please see 4.3 Product Attributes for details.

The registered domain name will also be configured to forward all emails to the hosting client’s email address. The registered domain name and the created hosting client website should be ready for use within a few minutes.

The @@@availability@@@ special code should be added to the shopping cart item used to list each product in the shopping cart. This special code will display if the entered domain name is available and if all the personal data required for domain name registrations have been entered etc.

Please see the Website Administrator Guide and the Website Developer Guide for details.



The screenshot displays the Asbru Web Content Management System interface. On the left is a sidebar with a tree view containing categories like Configuration, System, Database, License, Superadmin, Website, Ecommerce, Micro-Websites, Usage Statistics, Hosting Clients, Features, Content, Images, Files, Links, Users, Versions, Hosting, Ecommerce, and Databases. The 'Ecommerce' category is highlighted. The top navigation bar includes links for Home, Browse & Edit, and Ecommerce Configuration, along with user status (Logged in as: admin) and options for Logout and Help. The main content area is titled 'Product Delivery' and contains settings for automatic digital product delivery. It includes a 'Default User Template' dropdown set to 'none', 'User Database Usernames' section with 'Min. Username Length' (4) and 'Max. Username Length' (20), a 'Blocked Usernames' text area, a 'Prefix for automatically issued usernames' field with 'user', 'Hosting Client Websites' section with 'Min. Sub-domain Length' (4) and 'Max. Sub-domain Length' (20), a 'Blocked Sub-domains' text area, a 'Prefix for automatically issued sub-domains' field with 'website', 'WWW Domain Name Prefix' (www.) and 'Domain Name' (asbruweb.com), 'Database Connection' (mysql:mysql://@@@username@@@:password@@@localhost@@@), 'Domain Name Registration (www.enom.com)' section with 'Username' and 'Password' fields, and 'Domain Name Registration URL' with radio buttons for 'http://resellertest.enom.com/' and 'http://reseller.enom.com/'.

#### 4.3 Product Attributes

Additional Product Delivery attributes are added for products in the Products & Orders section of the web content management system:

- **Hosting Client Website Template**  
The hosting client website to be copied to create a new hosting client website for the customer upon successful order and payment completion.

Please see the Website Administrator Guide for details.



The screenshot displays the Asbru Web Content Management System interface. The top navigation bar includes links for Home, Browse & Edit, Update, and user status (Logged in as: admin). Below this is a secondary navigation bar with icons for Workspace, Structure, Content, Media, Ecommerce, Databases, Experience, Users, Analytics, Hosting, and Configuration. The main content area shows a configuration window for 'Product Delivery'. On the left, a tree view lists categories like Ecommerce, Products, Group, Type, Version, Status, Stock Status, Stock, Orders, and Sales. The 'Product Delivery' window has tabs for Revision History, Product Details, Product Delivery (selected), Product Stock, Primary Content, Content Presentation, Additional Content, Meta Information, Advanced Scripting, Content Categories, Content Version, Access Restrictions, Content Relations, and Content Delivery. The 'Product Delivery' tab contains several sections: 'Automatic digital product delivery details' with radio buttons for New, Renew, and Add-On; 'Send Email' with a dropdown for 'Your Website Details' and a 'Select' button; 'Display Page' with a dropdown set to '- none -' and a 'Select' button; 'Custom Extension Program' with a dropdown set to '- none -'; 'User Template' with a dropdown set to 'hostingcustomer (13)'; and 'Hosting Client Website Template' with a dropdown set to 'www.site-professional-suite.asbruweb.com'. At the bottom of the interface, a red footer bar contains the text: 'Asbru Web Content Management System v9.2 - Copyright © 1999-2015 Asbru Ltd. and its licensors. All rights reserved.'

Additional Product Details attributes are also available for automated configuration of hosting client websites. In relation to automated product delivery a number of special Product Options with the following names can be defined:

- **hosting:subdomain**  
Placeholder for sub-domain name entered by customers when ordering a hosting client website. Important: This should always be the first product option for products with automated delivery of hosting client websites.
- **hosting:domain**  
Placeholder for optional full domain name alias entered by customers when ordering a hosting client website. Important: This should always be the second product option for products with automated delivery of hosting client websites.
- **hosting:domain:tld**  
List of top level domains which are allowed for the “hosting:domain” if the integrated domain name registration functionality is used. If no “hosting:domain:tld” product option is added, the default “hosting:domain:tld” is “com,net,org”. For example, to also allow registration of “.uk” domain names a “hosting:domain:tld” product option with the value “com,net,org,uk” should be added; or to only allow registration of “.uk” domain names a “hosting:domain:tld” product option with the value “uk” should be added. Please see 4.2 Domain Name Registration for details.
- **hosting:group**  
Defines the hosting group under which the hosting client website is created. This overrides the hosting group defined for the copied hosting client website.



- **hosting:type**  
Defines the hosting type under which the hosting client website is created. This overrides the hosting type defined for the copied hosting client website.
- **hosting:password**  
Sets the superadmin password for the created hosting client website to the given value. This overrides the superadmin password defined for the copied hosting client website.
- **hosting:personal**  
Sets the Personal Edition license key for the created hosting client website to the given value. This overrides the Personal Edition license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:professional**  
Sets the Professional Edition license key for the created hosting client website to the given value. This overrides the Professional Edition license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:community**  
Sets the Community Add-On license key for the created hosting client website to the given value. This overrides the Community Add-On license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:databases**  
Sets the Databases Add-On license key for the created hosting client website to the given value. This overrides the Databases Add-On license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:ecommerce**  
Sets the E-Commerce Add-On license key for the created hosting client website to the given value. This overrides the E-Commerce Add-On license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:statistics**  
Sets the Statistics Add-On license key for the created hosting client website to the given value. This overrides the Statistics Add-On license key defined for the copied Product Delivery Hosting Client Website Template.
- **hosting:publish**  
Sets the Scheduled Publish date/time for the created hosting client website to the given value instead of using the value from the copied Product Delivery Hosting Client Website Template.
- **hosting:publish\_email**  
Sets the Scheduled Publish Email page id for the page to be emailed to the created hosting client website's superadministrator to the given value instead of using the value from the copied Product Delivery Hosting Client Website Template.
- **hosting:notify**  
Sets the Scheduled Notify date/time for the hosting client website to the given value



instead of using the value from the copied Product Delivery Hosting Client Website Template.

- **hosting:notify\_email**  
Sets the Scheduled Notify Email page id for the page to be emailed to the created hosting client website's superadministrator to the given value instead of using the value from the copied Product Delivery Hosting Client Website Template.
- **hosting:unpublish**  
Sets the Scheduled Expiration date/time for the hosting client website to the given value instead of using the value from the copied Product Delivery Hosting Client Website Template.
- **hosting:unpublish\_email**  
Sets the Scheduled Expiration Email page id for the page to be emailed to the created hosting client website's superadministrator to the given value instead of using the value from the copied Product Delivery Hosting Client Website Template.

Please see the Website Administrator Guide for details.



The screenshot displays the Asbru Web Content Management System interface. The top navigation bar includes links for Home, Browse & Edit, Update, and user status (Logged in as: admin). The main menu features icons for Workspace, Structure, Content, Media, Ecommerce, Databases, Experience, Users, Analytics, Hosting, and Configuration. On the left, a sidebar shows a tree view of the Ecommerce section, with 'Products' selected. The main content area is titled 'Product Details' and contains a form for product and order details. The form includes fields for Product Code, Price per Item, Cost per Item, Weight, Width x Height x Depth, Volume, Brand, Colour, and Size. Below these fields is a section for 'Product Options' with a table listing options like 'hosting:subdomain', 'hosting:domain', 'hosting:group', and 'hosting:type'. Each option has a text input field and a 'Delete' button. An 'Add New' button is at the bottom of the options table. The footer of the interface reads 'Asbru Web Content Management System v3.2 - Copyright © 1999-2015 Asbru Ltd. and its licensors. All rights reserved.'

#### 4.4 Order Pages

The Hosting Edition example website includes a number of special order pages for ordering hosting client website products. For hosting client website products single-step order pages are recommended instead of using multi-step shopping cart and checkout pages.

The Hosting Edition example website order pages use the standard E-Commerce Add-On features with the following notable differences:

`<input type="text" name="add" value="123">` is the unique product id from the web content management system for the ordered product.

`<input type="text" name="add_1" value="">` is used for customers to enter their preferred sub-domain name when ordering a new hosting client website, or to enter their existing sub-



domain for their existing hosting client website when ordering add-on products such as additional domain name aliases and add-on module license keys. The “1” refers to the first product option defined for the ordered product. As suggested above the first product option for hosting client website products should always be “hosting:subdomain”.

`<input type="text" name="add_2" value="">` is used for customers to enter their preferred full domain name alias (if any) when ordering a new hosting client website, or when ordering an additional domain name alias for an existing hosting client website. The “2” refers to the second product option defined for the ordered product. As suggested above the second product option for hosting client website products should always be “hosting:domain”.

`<input type="hidden" name="complete" value="complete">` defines that the order should be confirmed/completed immediately instead of using multi-step shopping cart and checkout pages.

`<input type="hidden" name="email_confirmation" value="no">` can be used to not send a confirmation email to the customer.

`<input type="hidden" name="email_confirmation" value="123">` can be used to send the page with the given id as a confirmation email to the customer instead of using the default email confirmation page configured for your website.

`<input type="hidden" name="email_notification" value="no">` can be used to not send a notification email to your e-commerce order administrator.

`<input type="hidden" name="email_notification" value="123">` can be used to send the page with the given id as a notification email to your e-commerce order administrator instead of using the default email notification page configured for your website.

Please see the Hosting Edition example website and the Website Developer Guide for details.





## 5 Web Server And Hosting Client Websites Setup

The default Asbru Web Content Management Hosting API implements a simple “virtual hosting client” setup. However, you may customise the Hosting API if you prefer another setup for your hosting client websites such as a more advanced “dedicated hosting client” setup or something completely different. You may also want to customise the Hosting API for additional automation and integration with back-end systems etc. Please see 6 Hosting API for details.

Each hosting client website needs its own:

- Internet address IP-number and/or domain name for accessing it.
- Website folder for storing the website content images and other files.
- Database instance for storing the website content.

### 5.1 Internet Address and Web Server

Each hosting client website needs its own unique Internet address for accessing it. The Internet address may be an IP-number, domain name or sub-domain name. You need to acquire and configure these to point to your web server before the Asbru Web Content Management system can use them.

You must also configure your web server to respond to each of the hosting client website Internet addresses and direct requests to the Asbru Web Content Management system.

- The simplest way to do this is to configure your web server to respond to any Internet address and direct everything to the folder where your Asbru Web Content Management system is installed.
- Alternatively, you may need/want to configure separate web server instances for each hosting client website. All web server instances should still direct everything to the folder where your Asbru Web Content Management system is installed. Depending on your web server this may be necessary to configure separate log files and restrictions etc. for each hosting client website.
- Finally, you may need/want to configure separate web server instances for each hosting client website with separate “root” folders. This may be necessary to enable hosting clients to install their own additional web applications. Please see 5.4 “Dedicated” Hosting Clients Websites for details.

If you use the first, simple setup where a single web server instance responds to any Internet address no additional web server configuration is needed when a new hosting client website is added to the Asbru Web Content Management system.

Otherwise, a new web server instance must be configured for each new hosting client website added to the Asbru Web Content Management system. You may customise the Asbru Web Content Management system Hosting API to automate this. Please see your operating system and web server documentation and 6 Hosting API for details.



## 5.2 Website Folder

Each hosting client website also needs its own web server folder for storing the website content images and other files.

- The simplest way to do this is to create a sub-folder for each hosting client website under your website “root” folder.
- Alternatively, you may need/want to create a “link” for each hosting client website under your website “root” folder with each “link” pointing to each hosting client website’s real folder.
- Finally, you may need/want to configure separate web server instances for each hosting client website with separate “root” folders. Please see 5.4 “Dedicated” Hosting Clients Websites for details.

If you use the first, simple setup where each hosting client website has its own sub-folder under your website “root” folder no additional server configuration may be needed when a new hosting client website is added to the Asbru Web Content Management system.

Otherwise, a new web server folder must be created and configured for each new hosting client website added to the Asbru Web Content Management system. You may customise the Asbru Web Content Management system Hosting API to automate this. Please see your operating system and web server documentation and 6 Hosting API for details.

## 5.3 Database Instance

Finally, each hosting client website needs its own database instance with a unique identifier/name for accessing it. How these are created and configured depends on which database platform you have selected for your setup.

- The simplest way is to use Microsoft Access database files on a Microsoft Windows server. Microsoft Access databases are simple files, which the Asbru Web Content Management system can copy and configure on its own.
- Alternatively, you may need/want to use one of the other supported database servers and create a separate database instance for each hosting client website. Each database instance should have its own unique identifier/name as well as username and password for accessing it. Please see your database server documentation for details. The Asbru Web Content Management system Hosting Edition includes support for MySQL databases on both Linux/Unix and Microsoft Windows.

## 5.4 “Dedicated” Hosting Clients Websites

The Asbru Web Content Management system Hosting Edition is primarily designed and implemented to enable web hosting service providers to offer easy to use websites with full web content management to clients who create and maintain their website exclusively through the web content management system (and other pre-installed standard web applications) in a controlled environment.

You may need or prefer a setup that enables individual hosting clients to develop and install additional web applications. To support such a setup as described below you may customise



the Asbru Web Content Management system Hosting API. Please see 6 Hosting API for details.

However, instead of using a setup with dedicated hosting client websites for such clients, it may be a better solution to upgrade the clients to their own full Personal Edition or Professional Edition installation of the Asbru Web Content Management system. This is recommended if the hosting clients need full “shell” access to their website folder, or you should ensure that hosting clients do not have access to the Asbru Web Content Management system configuration files (“/webadmin/ini.aspx”, “/webadmin/ini.jsp” and “/webadmin/ini.php”) and program files etc.



## 6 Hosting API

The default implementation of the Hosting API included with the Hosting Edition of the Asbru Web Content Management system is implemented to be ready to use for a server setup with simple virtual hosting client websites using Microsoft Access or MySQL databases. Please see 2 Hosting Clients Configuration for details.

The .NET and JSP and PHP versions of the Hosting API implements automated setup of hosting client websites with simple Microsoft Access database files on a Microsoft Windows server. These versions may be used as they are without any customisation.

On other operating systems than Microsoft Windows the Asbru Web Content Management system does not support simple Microsoft Access database files. Instead, the .NET and JSP and PHP versions of the Hosting API implements automated setup of hosting client websites with MySQL databases on a Linux/Unix server (as well as on a Microsoft Windows server). This version needs simple configuration of the location of MySQL database folders/files and database superadmin username and password) before it can be used. Please see 2 Hosting Clients Configuration for details.

However, the Hosting API may be customised for other server setups as well as additional automation and integration with back-end systems etc.

The Hosting API consists of a single program file: “/webadmin/Hosting\_api.aspx”, “/webadmin/Hosting\_api.php” and “/WEB-INF/classes/HardCore/HostingAPI.java” depending on which version of the Asbru Web Content Management system you are using.

The Hosting API program file contains a number of program functions, which are used by the Asbru Web Content Management Hosting Clients administration section before and after hosting client websites are created, updated and deleted.

### 6.1 hosting\_pre\_create

The “hosting\_pre\_create” function is called when the Add New form/page is saved but before the Asbru Web Content Management system configures the new hosting client website. If an error message is returned from this function the Asbru Web Content Management system will simply display the error message(s) instead of adding the new hosting client website.

As default this function:

- Validates the format of the entered data for the new hosting client website.
- Validates that the entered Internet address is not already configured for a hosting client website.
- Checks if the entered Database and URL Root Path data for the new hosting client website are already used for a hosting client website – if they are the new hosting client website is simply added as an alias for the existing hosting client website instead of creating a new hosting client website.



- Creates the website sub-folder for the new hosting client website.
- Creates “file”, “image” and “upload” sub-folders for the new hosting client website – and copies the files from the existing hosting client website if an existing hosting client website is copied to create the new hosting client website.
- Creates a Microsoft Access or MySQL database for the new hosting client website by copying the original default Asbru Web Content Management system database file or by copying the database file/data from the existing hosting client website if an existing hosting client website is copied to create the new hosting client website.

Please note that only Microsoft Access database files and MySQL databases are created automatically as default. Other databases must be created manually before adding a new hosting client website. However, you may also customise this Hosting API function to automatically create and initialise other databases for your server setup.

## 6.2 hosting\_post\_create

The “hosting\_post\_create” function is called when the Add New form/page is saved and after the Asbru Web Content Management system has configured the new hosting client website. If an error message is returned from this function the Asbru Web Content Management system will display the error message(s) instead of returning to the hosting clients administration index page.

As default this function:

- Validates the connection to the database for the hosting client website.
- Emails a notification with the new hosting client website details to the new hosting client with a copy to the Hosting Edition superadmin administrator as well.

“From” and “Subject” are defined in the Hosting API program file as the variables: “hosting\_api\_email\_sender” and “hosting\_api\_email\_subject”. The default content of the email sent to the new hosting client is the contents of the “/webadmin/hardcore.email” file.

Alternatively, different email messages may be created for different hosting client packages. If a new hosting client website is added as a copy of an existing “PROFESSIONAL.asbruweb.com” hosting client website and an “/webadmin/hardcore.PROFESSIONAL.asbruweb.com.email” file exist, the content of that file will be emailed to the new hosting client instead of the default content.

## 6.3 hosting\_pre\_update

The “hosting\_pre\_update” function is called when the Update form/page is saved but before the Asbru Web Content Management system updates the hosting client website. If an error message is returned from this function the Asbru Web Content Management system will simply display the error message(s) instead of updating the hosting client website.

As default this function:

- Validates the format of the entered data for the hosting client website.



#### 6.4 hosting\_post\_update

The “hosting\_post\_update” function is called when the Add New form/page is saved and after the Asbru Web Content Management system has updated the hosting client website. If an error message is returned from this function the Asbru Web Content Management system will display the error message(s) instead of returning to the hosting clients administration index page.

As default this function:

- Validates the connection to the database for the hosting client website.

#### 6.5 hosting\_pre\_delete

The “hosting\_pre\_delete” function is called when the Delete form/page is saved but before the Asbru Web Content Management system deletes the hosting client website. If an error message is returned from this function the Asbru Web Content Management system will simply display the error message(s) instead of deleting the hosting client website.

As default this function:

- Validates the format of the entered data for the hosting client website.

#### 6.6 hosting\_post\_delete

The “hosting\_post\_delete” function is called when the Delete form/page is saved and after the Asbru Web Content Management system has deleted the hosting client website. If an error message is returned from this function the Asbru Web Content Management system will display the error message(s) instead of returning to the hosting clients administration index page.

As default this function:

- Checks if the deleted Database and URL Root Path data is still used by another hosting client website – if it is the deleted hosting client website was simply an alias for another hosting client website.
- Deletes the Microsoft Access database file or MySQL database for the deleted hosting client website (unless the deleted hosting client website was simply an alias for another hosting client website).
- Deletes the website sub-folder for the deleted hosting client website (unless the deleted hosting client website was simply an alias for another hosting client website).

Please note that only Microsoft Access database files and MySQL databases are deleted automatically as default. Other databases must be deleted manually after deleting a hosting client website. However, you may also customise this Hosting API function to automatically delete other databases for your server setup.